Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 34 :: :: NUMBER 31

AUGUST 1 - - 1919

CONTENTS

The Treatment of Hay Fever
Changes in Blood and Urine Resulting from Fatigue
The Notifiable Diseases in Large Cities, 1918
Court Decision on the Marriage of Diseased Persons

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
10 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR.

CONTENTS.

Page.

The treatment of hay fever 1673
An investigation of the changes in the blood and urine resulting from fatigue... 1682
The notifiable diseases—Prevalence during 1918 in cities of over 100,000..... 1691
Marriage of diseased persons—New Jersey court decides that concealment of tuberculosis is cause for annulling marriage 1709
Deaths during week ended July 19, 1919, in cities 1710

PREVALENCE OF DISEASE.

United States:
- Current State summaries—Telegraphic reports for week ended July 26, 1919 1711
- Summary of cases reported by States 1714
- Anthrax—California report for June, 1919 1714
- Cerebrospinal meningitis—
  - State reports for June, 1919 1715
  - City reports for week ended July 12, 1919 1715
- Leprosy—Contra Costa County, Calif., Los Angeles, Calif., and New Orleans, La 1715
- Lethargic encephalitis—Santa Barbara, Calif., week ended July 12, 1919.. 1716
- Malaria—
  - State reports for June, 1919 1716
  - City reports for week ended July 12, 1919 1716
- Pellagra—
  - State reports for June, 1919 1717
  - City reports for week ended July 12, 1919 1717
- Plague-infected ground squirrels—Alameda County, Calif., July 2, 1919.... 1717
- Pneumonia—City reports for week ended July 12, 1919 1718
- Poliomyelitis—
  - State reports for June, 1919 1718
  - City reports for week ended July 12, 1919 1719
- Rabies in animals—Detroit, Mich., and Rocky Mount, N. C 1719
- Rocky Mountain spotted or tick fever—Fremont County, Wyo., June, 1919. 1719
- Smallpox—
  - State reports for June, 1919—Vaccination histories 1719
  - State reports for June, 1919 1722
  - City reports for week ended July 12, 1919 1723
- Tetanus—City reports for week ended July 12, 1919 1724
- Typhoid fever—
  - State reports for June, 1919 1724
  - City reports for week ended July 12, 1919 1727
- Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended July 12, 1919 1728

Foreign:
- Australia—Epidemic encephalitis declared a quarantinable disease 1734
- China—
  - Epidemic influenza—Canton 1734
  - Further relative to cholera—Swatow and vicinity 1734
  - Quarantine against Swatow—Amoy 1734

Foreign—Continued.
Madagascar—
Page.
Epidemic influenza—Tananarive 1734
Union of South Africa—
Anthrax 1735
Influenza—August-November, 1918 1735
Influenza—East London 1735
Influenza—Johannesburg 1735
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended August 1, 1919—
Cholera 1736
Plague 1736
Smallpox 1736
Typhus fever 1737
Yellow fever 1737
Reports received from June 28 to July 25, 1919—
Cholera 1738
Plague 1738
Smallpox 1739
Typhus fever 1741
Yellow fever 1742